

Prijs op aanvraag

Scanman Eindhoven

Telefoon: +31 (0)40 2447918

GSM: +31 (0)680045417

info@scanman.nl

www.scanman.nl

**TRX) Transceivers CB -
Transceivers CB / 10M Europe**



PRES TXMU000

**President
Liberty-Mic**

Wireless Microphone, Speaker and Mic in a single unit.
Compatible with all President CB Transceivers with a 6-Pin
Microphone Connection.
Range up to 100 meter.



CTE C480.13

**Midland
ALAN42 Multi**

Transceiver CB Portable, AM/FM, Multi Standard.

Audio Accessory Jack 2-Pin, 2.5mm/3.5mm, **STANDARD WIRING.**



ALBR 10190

**Albrecht
AE2990AFS**

Transceiver CB Portable, 40CH 1W AM/40CH 4W FM/SSB.
Multi (5) European Standards + USA Standard + HAM Convertible.
Audio Accessory Jack 2-Pin, 2.5mm/3.5mm, **STANDARD WIRING.**



**PRES TXSE211
President
RANDY-2 PORT**

Transceiver CB Portable, 4 Watt AM/FM, Multi (6) European
Standards.

Antenna Connection: TNC-Female.

Audio Accessory Jack 2-Pin, 2.5mm/3.5mm, **STANDARD WIRING.**



PRES TXSE311

**President
RANDY-2 MOB**

Transceiver CB Portable/MOBILE, 4 Watt AM/FM, Multi (6) European
Standards.

Antenna Connection Portable: TNC-Female.

Antenna Connection Mobile: UHF-Female.

The Mobile Adaptor comes with a Cigarette Lighter Plug for 12VDC
Power and a UHF-Female for connecting the Coax Cable of the CB
Antenna.

Audio Accessory Jack 2-Pin, 2.5mm/3.5mm, **STANDARD WIRING.**



PRES TXMU157

**President
Tommy**

Transceiver CB Mobile. 1W AM, Multi (4) European Standards.
Electret Condenser Microphone, 6-Pin



PRES TXMU653

**President
Johnny-3 ASC**

Transceiver CB Mobile. 4W AM, Multi (4) European Standards,
12V/24V Version.
Electret Condenser Microphone.



PRES TXMU266

**President
Teddy ASC**

Transceiver CB Mobile, Multi (5) European Standards, ASC
Electret Condenser 6-Pin Microphone.



PRES TXMU092

**President
Truman ASC**

Transceiver CB Mobile, AM/FM, Multi (6) European Standards, ASC
Electret Condenser Microphone, 6-Pin.



PRES TXMU668

**President
Harry-3 ASC**

Transceiver CB Mobile, Multi (7) European Standards, ASC, Version
12V/24V.
Electret Condenser 6-Pin Microphone.



PRES TXMU403

**President
Taylor 3 ASC**

Transceiver CB Mobile, Multi (7) European Standards, ASC, Black
Front, Electret Condenser Microphone.



PRES TXMU100

**President
Walker**

Transceiver CB Mobile, Multi (6) European Standards, ASC, Electret
Condenser Microphone.



PRES TXMU200

**President
Walker Chrome**

Transceiver CB Mobile, **CHROME VERSION**, Multi (6) European
Standards, ASC, Electret Condenser Microphone.



PRES TXMU667

President

Johnson-2 ASC 12/24V

Transceiver CB Mobile, 12-24V Version, AM/FM, Multi Standard, Speaker in Front Panel, ASC, Electret Condenser 6-Pin Microphone.



PRES TXMU093

President

Thomas ASC

Transceiver CB Mobile, AM/FM, Frequency and Channel Read Out, CTCSS, DSC, 8 Memory Channels, Priority Channel 9/19, Switchable Key Beep.

Electret Condenser Microphone, Connector RJ-45.



PRES TXMU094

President

William ASC

Transceiver CB Mobile, ASC, AM/FM, Powe 4W AM, 4W FM, Remote Speaker Microphone, Concealable Mian Unit, 2 Meter Extension Cord with RJ45, CTCSS, DSC, 5 European Standards.

Electret Condenser Microphone, Connector RJ-45.



PRES TXMU608

President

JFK-2

Transceiver CB Mobile, AM/FM, Multi Standard, ASC, Electret Condenser Microphone.



PRES TXMU510

President

Grant-2

Transceiver CB Mobile, AM/FM/SSB.

Multi (6) European Standards, Display Orange or Green.

Electret Condenser Microphone, Connector 6-Pin, President Wiring.



PRES

TXMU510P

President

GRANT-2 PREMIUM

Transceiver CB Mobile, **PREMIUM VERSION**, AM/FM/SSB.

Multi (6) European Standards, Display Orange or Green.

Electret Condenser Microphone, Connector 6-Pin, President Wiring.



PRES TXMU313

President

Jackson-2

Transceiver CB Mobile, AM/FM/SSB, Multi Standard, ASC, Built-in Vox for Optional Vox Mike, SWR-meter Incorporated, Backlit Front

Plate, Electret Condenser Microphone. 5 Year Guarantee.
HANDFREE MICROPHONE FOR VOX OPERATION OF JACKSON-2: GoTo Avera p/n PRES ACDC200

PRES TXMU300
President
JACKSON-2 CHROME



Transceiver CB Mobile, **CHROME VERSION**, AM/FM/SSB, Multi Standard, ASC, Built-in Vox for Optional Vox Mike, SWR-meter Incorporated, Backlit Front Plate, Electret Condenser Microphone. 5 Year Guarantee.

HANDFREE MICROPHONE FOR VOX OPERATION OF JACKSON-2: GoTo Avera p/n PRES ACDC200

PRES TXSE041
President
Lincoln-2



Transceiver CB/10M Mobile.

At first there was Lincoln and now time has come for brand new Lincoln-2 !!

Frequency Range 28.000 - 29.700 MHz.

Carrier Power 12W AM, 28W FM, 31W LSB/USB, 12W CW.

3 Color Display and many many features.

Electret Condenser Microphone, Connector 6-Pin.

CTE C972.01
Midland
203 Plus



Transceiver CB Mobile, 4W AM/FM, Multi (7) European Standards. Electret Condenser Microphone, 4-Pin, Uniden/Cobra/President Wiring.

CTE C442.09
Midland
Alan 100+B



Transceiver CB Mobile 4W AM/4W FM.

Electret Condenser Microphone, 4-Pin, Uniden/Cobra/President Wiring.

CTE C1070
Midland
210DS



Transceiver CB Mobile, Multi (7) European Standards.

Electret Condenser Microphone, 4-Pin, Uniden/Cobra/President Wiring.



CTE C423.15
Midland
Alan 78PLUS

Transceiver CB Mobile, Multi European Standards, Blue Light
Dynamic Microphone. 6-Pin



CTE C422.15
Midland
Alan 48PLUS

Transceiver CB Mobile, Multi European Standards, Blue Light.



CTE C1169
Midland
M-Zero

Transceiver CB Mobile, 40CH 4W AM.



CRT SMINI2
CRT
S-MINI

Transceiver CB Mobile, Multi (6) Standards, 40CH AM/80CH FM, 4
Watt.
Electret Condenser Microphone, 4-Pin, Uniden/President Wiring.



CRT ONE
CRT
ONE

Transceiver CB Mobile, Multi (6) Standards, 40CH, AM/FM.
Electret Condenser Microphone, Fixed to Radio.



CRT MIKE
CRT
MIKE

Transceiver CB Mobile, Multi Standards, 4 Watt, 40CH, AM/FM,
Remote Microphone.
Electret Condenser Microphone, RJ-45 Connector.



SSTR 3900BLUE
Jopix
SS3900 Blue

Transceiver CB Mobile, CB/10meter, 4W AM/4W FM/12W SSB.



SSTR 6900V6
Superstar

SS6900 Blue

Transceiver 10 Meter Mobile, AM/FM/SSB/CW, BOTH CHANNEL READ OUT and FREQUENCY READ OUT IN BLUE LED, **Version 6**. This is upgraded version from Bi-Color version.
Dynamic Microphone, 4-Pin

Use **PC50** to program SS6900 by computer.



SSTR 6900PC50
Superstar
PC50

PC cable set to program the **CRT SS6900** and **CRT SS7900** by computer. Software is free and can be downloaded from Servicedocs.com.



CRT SS7900
CRT
SS7900

Transceiver 10M Mobile, AM/FM/SSB.

Use **PC50** to program SS7900 by computer.



CRT SS9900
CRT
SS9900

Transceiver 10M Mobile, AM/FM/USB/LSB.
Frequency Range (1) 28.000 - 29.700 MHz, (2) 25.615 - 30.105 MHz.
Power AM 30W, FM 50W, SSB 60W.
Electret Microphone, 6-Pin, Special Wiring.

Use **SS9900PC** to program SS9900 by computer.



CRT SS9900PC
CRT
SS9900PC

PC cable set to program the **CRT SS9900** by computer.
Software is free and can be downloaded from Servicedocs.com.



COBR
19DXIVEU
Cobra
19DXIVEU

Transceiver CB Mobile, AM/FM, Multi Standards.



COBR 29LXEU
Cobra
29LXEU

Transceiver CB Mobile, AM/FM, Max Output 4 Watt, **Selectable 4-Colour LCD Display**, Frequency and Channel Read Out, Memory Channels and Scan, Clock-Timer-Alarm, Priority Channel 9/19, SWR-Meter, ANL and NB, Dimmer, S-Meter Jack.
7 European Standards.
Dynamic Microphone, Connector 4-Pin, Uniden/Cobra Wiring.



COBR 75STEU
Cobra
75 ST EU

Transceiver CB Mobile, Remote Type, AM/FM Multi Standards.



DANI
R27PAGER
Danita
R27 Pager

Pager CB Portable, 27 MHz, FM, 2 Channels.
Power Supply: 1 x 9V Battery (Not included).



DANI 9164
Danita
1240 AM/FM

Transceiver CB, 40CH, AM/FM, 4W FM, 1W AM, Dynamic Microphone with Connector 4-Pin



DANI 9304
Danita
3000 Multi

Transceiver CB Mobile. 4W AM/FM, Multi (10) European Standards plus 2 Extended Bands.



ALBR 12010
Albrecht
AE4200R

Transceiver CB Mobile, Multi (3) European Standards, AM/FM Electret Condenser Microphone, 4-Pin.



ALBR 12589
Albrecht
AE 5890 EU

Transceiver CB Mobile, AM/FM/SSB, Max 4W AM/FM and 12W SSB. 6 European Standards.
Electret Condenser 6-Pin Microphone.



ALBR 12611
Albrecht
AE6110

Transceiver CB Mobile, AM/FM, Multi Standards.



ALBR 12699
Albrecht
AE6199

Transceiver CB Mobile, AM/FM, Multi Standards, 80CH/40CH.
3 Colours LCD Backlighting.



ALBR 12649.4
Albrecht
AE6490

Transceiver CB Mobile, **12VDC**Multi (6) European Standards, AM/FM,
ASQ Function, Front speaker.

Choice of 2 colors for the display lighting

Electret Condenser Microphone with Up/Down, 6-Pin,
Midland/President Wiring.



ALBR 12648
Albrecht
AE6491

Transceiver CB Mobile, **12VDC/24VDC**, Multi (6) European
Standards, AM/FM, ASQ Function, Front speaker.

Choice of 2 colors for the display lighting

Electret Condenser Microphone with Up/Down, 6-Pin,
Midland/President Wiring.



ALBR 12669.4
Albrecht
AE6690

Transceiver CB Mobile, Multi (6) European Standards, AM/FM
Electret Condenser Microphone, 6-Pin, with CH Up/Down Function.



ALBR 12679
Albrecht
AE6790

Tranceiver CB Mobile, 80CH FM, 40CH AM, 4 Watt, 6 European
Standards, Detachable Front Section with Bracket for Dashboard
Mounting.

Microphone 6-Pin



ALBR 12691
Albrecht
AE6891

Transceiver CB Mobile, Multi Standard, AM/FM, Detachable Front
Section with Bracket for Dashboard Mounting.



ALBR 12750
Albrecht
AE7500CB

Transceiver 27MHz/CB Mobile, 4W AM/4W FM/12W SSB, Multi European Standards.
Electret Condenser Microphone, Connector 6-Pin.

* Also available is **AE7500HAM**, a 10M HAM Transceiver.

ALBR 35750
Albrecht
AE7500HAM



Transceiver 10M Mobile, 10W AM/30W FM/30W SSB, 28 - 29.69 MHz.
Electret Condenser Microphone, Connector 6-Pin.

* Also available is **AE7500CB**, a regular CB Transceiver.

STABO 30072
Stabo
XM3003e



Transceiver CB Mobile, **Multi** (7) European Standards, ASC.
Electret Condenser Microphone, 6-Pin, President Wiring.

KPO HR2800
KPO
HR2800



Transceiver CB Mobile, 28.000 - 29.700 MHz, AM/FM, Output Power Max 20 Watt, Input Voltage 12 to 32 VDC.
Dynamic Microphone, 6-Pin

TTI TCB560
TTI
TCB-560



Transceiver CB Mobile, Multi (11) European Standards, 4 Watt AM/FM, Operates on 12VDC and 24VDC, Three Color Backlighting.
Electret Condenser Microphone, 4-Pin, Uniden Wiring.

TTI TCB565
TTI
TCB-565



Transceiver CB Mobile, AM/FM, 4 Watt, 12/24VDC, Multi Standards.
Electret Condenser Microphone, 4-Pin, Uniden/President Wiring.

TTI TCB771
TTI
TCB-771



Transceiver CB Mobile, 4 Watt AM/FM, Multi (11) European Standards, 12V/24V Dual Voltage Capability.
Electret Condenser Microphone, Connector 6-Pin, TTI Wiring.

- TCB-771 is similar to the TCB-770 but with some improved features as it now includes 12V/24V dual voltage capability, plus DSS (Dynamic Squelch System) for a much improved receive capability.

TTI TCB881
TTI
TCB-881



Transceiver CB Mobile, AM/FM, 4 Watts, Multi Standards.
Electret Condenser Microphone, 6-Pin, TTI Wiring.

TTI TCB900
TTI
TCB-900



Multi Channel AM/FM CB Transceiver, Three Color Backlighting.
Electret Condenser Microphone, Connector 6-Pin, TTI Wiring.

(TRX) Transceivers CB -
Transceivers CB / 10M USA *NOT
FOR SALE IN EUROPE*

BEARCAT680
Uniden
Bearcat 680



Transceiver CB Mobile, AM, 4W, for USA.

BEARCAT980
Uniden
Bearcat 980 SSB



Transceiver CB Mobile, AM/SSB, 4W/12W, for USA

COBR 76XTR
Cobra
76XTR



Transceiver CB Mobile, 40 CH AM, Neon Blue Illuminatioin, Remote Mount System.

MAGN1
Magnum
MAGNUM-1



Transceiver 10M/12M Mobile, 24.890-24990 MHz and 28.000 - 29.700 MHz, AM/FM/SSB.



RCI2950DX3
Ranger
RCI-2950DX3
 Transceiver CB/10M Mobile.



RCI2970N2
Ranger
RCI-2970N2
 HAM Transceiver for 10 & 12 Meter Bands, 10 Mtr 28.000 - 29.6999 MHz and 12 Mtr 24.8900 - 24.9900 MHz, USB/LSB/CW/AM/FM, Output Power 100 Watts RMS CW/AM/FM and 200 Watts SSB (PEP), Current draw 32 Amper.
 Large Frequency Display with Dimmer, Improved Receiver Design, New Backlite Display, Variable Output Power Control, Active Frequency Scanner, Receiver Clarifier ($\pm 0.5\text{kHz}$), 16 Programmable/Erased Frequencies, Noise Blanker/ANL Circuitry, Frequency Selector Lockout, Programmable Repeater Offset, Public Address Feature.
 Dynamic Microphone, 400 Ohm, 6-Pin.



RCI2995DX
Ranger
RCI-2995DX
 Transceiver 10M and 12M Base.
 Designed to enhance any serious operators shack, this rack-mounted unit offers exceptional sound quality and large, easy-to-use controls. The RCI-2995DX has features that include: AM-CW-FM-SSB modes of operation, variable power, noise blanker and built-in heavy duty AC power supply and provides 150 watts PEP output, and a rear panel frequency meter output for measuring transmit operating frequency.



RCI69FFB4
Ranger
RCI-69FFB4
 Photo shows RCI69FFC2, that is a 200W Chrome Version in stead of 400W Black Version.
 HAM Transceiver for 10 Meter Band, 28.245 - 29.655 MHz, AM/FM/SSB, Output Power 200 Watts RMS CW/AM/FM and 400 Watts SSB (PEP).
 High Sensitivity Receiver Design, Echo & Talk/Back, Variable RF Power Output, Built-in Frequency Counter, Blue LED Display, Multifunction Panel Meter, Heavy Duty Chrome Heat Sink, Fully Chromed Housing and Face.
 Dynamic Microphone, 4-Pin.



RANG RHF618
Ranger
RHF618
 Transceiver 10M Base.
 Introducing the new Ranger RHF-618 base station radio. With your

amateur radio operators license, get access to the popular 10 and 12 meter radio bands at home! This radio is contains a Ranger RC12950DX inside the Galaxy DX2547 chassis. Incorporating new technology with tried-and-true communications, this radio comes complete with a multi-color touchscreen LCD.

Prijs op aanvraag

Scanman Eindhoven

Telefoon: +31 (0)40 2447918

GSM: +31 (0)680045417

info@scanman.nl

www.scanman.nl

Scanman.nl